Volume 100

July–December 2002

OBSTETRICS & GYNECOLOGY

VOLUME 100, NUMBER 1, JULY 2002

EDITORIAL

1 **So Many Studies, So Little Insight**
David S. Guzick, Kathleen Hoeger

ORIGINAL RESEARCH

LEAD ARTICLE
3 **Natural History of Uterine Polyps and Leiomyomata**
Uterine polyps and leiomyomata are common in premenopausal women, and small polyps frequently will regress spontaneously.
Deborah J. DeWaay, Craig H. Syrop, Ingrid E. Nygaard, William A. Davis, Bradley J. Van Voorhis

REVIEW

8 **Management of Uterine Leiomyomata: What Do We Really Know?**
Although leiomyomata are a common cause of morbidity, limitations of the available literature on management options prevents drawing valid conclusions about optimal management.
Evan R. Myers, Matthew D. Barber, Tara Gustilo-Ashby, Grace Couchman, David B. Matchar, Douglas C. McCrory

ORIGINAL RESEARCH

18 **Use of Alternative Therapies for Menopause Symptoms: Results of a Population-Based Survey**
The alternative therapies most commonly used for relief of menopause symptoms are herbal and homeopathic remedies, stress management, and dietary soy.
Katherine M. Newton, Diana S. M. Buist, Nora L. Keenan, Lynda A. Anderson, Andrea Z. LaCroix

27 **Abuse During Pregnancy and Femicide: Urgent Implications for Women's Health**
A ten-city case-control study of 821 women found the risk of femicide increased three-fold for women abused during pregnancy.
Judith McFarlane, Jacquelyn C. Campbell, Phyllis Sharps, Kathy Watson

37 Adverse Childhood Experiences and Risk of Paternity in Teen Pregnancy
Adverse childhood experiences were associated with an increased risk of paternity in teen pregnancy in a large health maintenance organization population.
Robert F. Anda, Daniel P. Chapman, Vincent J. Felitti, Valerie Edwards, David F. Williamson, Janet B. Croft, Wayne H. Giles

46 Epidural Analgesia Lengthens the Friedman Active Phase of Labor
The Friedman active phase of labor was 1 hour longer when epidural analgesia was used.
James M. Alexander, Shiv K. Sharma, Donald D. McIntire, Kenneth J. Leveno

51 Amniotic Fluid Δ OD 450 Values Accurately Predict Severe Fetal Anemia in D-Alloimmunization
Sensitivity of Liley's zone 3 and the upper third of zone 2 for severe fetal anemia is clinically useful both before and after 27 weeks' gestation.
Esther Sikkel, Frank P. H. A. Vandenbussche, Dick Oepkes, Robertjan H. Meerman, Saskia Le Cessie, Humphrey H. H. Kanhai

59 Preoperative CA 125 Levels: An Independent Prognostic Factor for Epithelial Ovarian Cancer
The preoperative CA 125 level is an independent prognostic factor for death due to disease in ovarian cancer patients.
Brian C. Cooper, Anil K. Sood, Charles S. Davis, Justine M. Ritchie, Joel I. Sorosky, Barrie Anderson, Richard E. Buller

65 Emergency Contraception With Mifepristone and Levonorgestrel: Mechanism of Action
Emergency contraception with mifepristone and levonorgestrel acts mainly by inhibition of ovulation rather than inhibition of implantation.
Lena Marions, Kjell Hultenby, Ingrid Lindell, Xiaoxi Sun, Berit Ståbi, Kristina Gemzell Danielsson

72 The Effect of Behavioral Therapy on Urinary Incontinence: A Randomized Controlled Trial
A low-intensity behavioral therapy program of bladder training significantly reduced urinary incontinent episodes for older women.
Leslee L. Subak, Charles P. Quesenberry, Jr, Samuel F. Posner, Eugene Cattolica, Krikor Soghikian

79 Decreased Incidence of Cervical Cancer in Medicare-Eligible California Women
After the 1990 change in Medicare funding statutes for screening cervical cytology, cervical cancer incidence decreased more in Medicare-eligible patients than in younger women.
Terri L. Cornelison, Fredrick J. Montz, Robert E. Bristow, Betty Chou, Alessandro Bovicelli, Scott L. Zeger

87 Smallpox and Pregnancy: From Eradicated Disease to Bioterrorist Threat
The threat of terrorists to use smallpox mandates health care providers to learn to prevent, diagnose, and manage this eradicated disease, given its potential catastrophic consequences.
Victor R. Suarez, Gary D. V. Hankins

94 Hospitalizations During Pregnancy Among Managed Care Enrollees
Hospitalization during pregnancy is a common event.
Julie A. Gazmararian, Ruth Petersen, Denise J. Jamieson, Laura Schild, Melissa M. Adams, Anjali D. Deshpande, Adele L. Franks

101 Prenatal Prescription of Macrolide Antibiotics and Infantile Hypertrophic Pyloric Stenosis
Prenatal prescriptions for erythromycin were not associated with pyloric stenosis; an unanticipated association was found between prenatal nonerythromycin macrolides and pyloric stenosis.
William O. Cooper, Wayne A. Ray, Marie R. Griffin

107 Preconception Folate and Vitamin B_6 Status and Clinical Spontaneous Abortion in Chinese Women
Suboptimal prepregnancy folate and vitamin B_6 status may be associated with increased risk of clinical spontaneous abortion in young Chinese women.
Alayne G. Ronnenberg, Marlene B. Goldman, Dafang Chen, Iain W. Aitken, Walter C. Willett, Jacob Selhub, Xiping Xu

115 Reappraisal of Neonatal Clavicular Fracture: Relationship Between Infant Size and Neonatal Morbidity
Clavicular fracture is unrelated to neonatal complications such as Erb palsy after adjusting for confounding factors that included birth weight, shoulder dystocia, and instrumental delivery.
Man-Ho Lam, Grace Y. Wong, Terence T. Lao

120 Echogenic Bowel in Intrauterine Growth Restriction Fetuses: Does This Jeopardize the Gut?
Echogenic bowel in intrauterine growth restriction fetuses with high resistance in the umbilical artery is not associated with increased risk for neonatal necrotizing enterocolitis.
Reuwen Achiron, Rami Mazkereth, Raoul Orvieto, Jacob Kuint, Shlomo Lipitz, Zeev Rotstein

126 Placental Histopathology of Congenital Syphilis
Histopathologic examination of the placenta is a valuable adjunct to the criteria used to diagnose congenital syphilis.
Jeanne S. Sheffield, Pablo J. Sánchez, George D. Wendel, Jr, David W. I. Fong, Linda R. Margraf, Fiker Zeray, Donald D. McIntire, Beverly Barton Rogers

134 Hydramnios: Anomaly Prevalence and Sonographic Detection
In pregnancies with hydramnios and normal targeted sonography, likelihood of a neonatal anomaly was 1% with mild, 2% with moderate, and 11% with severe hydramnios.
Jodi S. Dashe, Donald D. McIntire, Ronald M. Ramus, Rigoberto Santos-Ramos, Diane M. Twickler

140 Inhibin-A Levels and Severity of Hypertensive Disorders Due to Pregnancy
Maternal inhibin-A serum levels rise with increasing severity of hypertensive disorders due to pregnancy.
Gerda G. Zeeman, James M. Alexander, Donald D. McIntire, William Byrd, Kenneth J. Leveno

CLINICAL GYNECOLOGIC SERIES: AN EXPERT'S VIEW

145 Vulvar Disease
The review highlights diagnosis and management of common and problematic vulvar conditions.
David C. Foster

CURRENT COMMENTARY

164 **Rising Rates of Labor Induction: Present Concerns and Future Strategies**
A national doubling of the labor induction rates during the past decade is attributable to many reasons that are often not evidence based.
William F. Rayburn, Jun Zhang

168 **"Not Just Another Business": Medicine's Struggle to Preserve Professionalism in a Commercialized World**
Preserving the public perception of medicine as a moral enterprise is critical to defeating current trends that threaten to transform medical services into another marketplace commodity.
Jordan J. Cohen, Barbara A. Gabriel

170 **Medical Professionalism in the New Millennium: A Physician Charter**
Project of the ABIM Foundation, ACP-ASIM Foundation, and European Federation of Internal Medicine

DEPARTMENTS

173 **Letters to the Editor**

ACOG PUBLICATIONS

177 **Practice Bulletin #36: Obstetric Analgesia and Anesthesia**

193 **Technology Assessment #1: Genetics and Molecular Diagnostic Testing**

213 **Committee Opinion #274: Nonsurgical Diagnosis and Management of Vaginal Agenesis**

VOLUME 100, NUMBER 2, AUGUST 2002

EDITORIAL

217 **Professional Liability: Our Role and Responsibility**
John T. Queenan

219 **No Easy Answers for Predicting Preterm Labor**
Catherine Y. Spong

PRESIDENTIAL ADDRESS

221 **The Decline of the Profession of Medicine**
Charles B. Hammond

ORIGINAL RESEARCH

LEAD ARTICLE

226 **Prevalence of Urinary Incontinence and Associated Risk Factors in a Cohort of Nuns**
The prevalence of urinary incontinence and associated risk factors in a cohort of nulliparous nuns are similar to those reported for parous women.
Gunhilde M. Buchsbaum, Michelle Chin, Chris Glantz, David Guzick

230 **A Randomized Controlled Trial of a Regular Diet as the First Meal in Gynecologic Oncology Patients Undergoing Intraabdominal Surgery**
A regular diet as the first meal after intraabdominal surgery in gynecologic oncology patients is safe and efficacious.
Michael L. Pearl, Martina Frandina, Linda Mahler, Fidel A. Valea, Paul A. DiSilvestro, Eva Chalas

235 **Oral Contraceptive Use by Teenage Women Does Not Affect Body Composition**
Oral contraceptive use by teenage women increases total serum cholesterol, high-density lipoprotein cholesterol, and serum triglycerides but does not alter body weight or percent body fat.
Tom Lloyd, Hung Mo Lin, Amy E. Matthews, Christina M. Bentley, Richard S. Legro

240 **Postoperative Neuropathies After Major Pelvic Surgery**
Neuropathy is infrequent after major pelvic surgery, and full recovery is common except in the case of significant nerve root injury or unrepaired nerve transection.
Richard J. Cardosi, Carol S. Cox, Mitchel S. Hoffman

245 **Excess Pregnancy Weight Gain and Long-Term Obesity: One Decade Later**
Excess pregnancy weight gain and inability to lose weight postpartum are significant predictors of excess weight 8–10 years after pregnancy.
Brenda L. Rooney, Charles W. Schauberger

253 **Outcomes of Planned Home Births in Washington State: 1989–1996**
This study suggests planned home births in Washington State during 1989–1996 had greater infant and maternal risks than hospital births, especially among nulliparous women.
Jenny W. Y. Pang, James D. Heffelfinger, Greg J. Huang, Thomas J. Benedetti, Noel S. Weiss

260 **Frequency of Congenital Varicella Syndrome in a Prospective Cohort of 347 Pregnant Women**
The frequency of congenital varicella syndrome was very low, one in 231 (0.4%) infants born to women who developed primary varicella during pregnancy.
James H. Harger, Joseph M. Ernest, Gary R. Thurnau, Atef Moawad, Elizabeth Thom, Mark B. Landon, Richard Paul, Menachem Miodovnik, Mitchell Dombrowski, Baha Sibai, Peter Van Dorsten, Donald McNellis, for the National Institute of Child Health and Human Development Network of Maternal-Fetal Medicine Units

266 **Cervicovaginal Fetal Fibronectin Levels in Women With Preeclampsia**
Levels of cervicovaginal fetal fibronectin are not elevated in women with preeclampsia compared with normotensive controls at a similar gestational age.
David S. McKenna, Stephanie Costa, Jay D. Iams, Philip Samuels

271 Cytologic and Biopsy Findings Leading to Conization in Adenocarcinoma In Situ of the Cervix
The sensitivity of the Papanicolaou smear, biopsy, and endocervical curettage in detecting cervical adenocarcinoma in situ underscores the importance of proper preoperative planning for suspected glandular lesions.
Christine H. Shin, John O. Schorge, Kenneth R. Lee, Ellen E. Sheets

277 Discrepancy in the Interpretation of Cervical Histology by Gynecologic Pathologists
For the histologic diagnosis of cervical intraepithelial neoplasia, the interobserver agreement between two gynecologic pathologists is found to be no better than that observed between general and gynecologic pathologists.
Mary F. Parker, Christopher M. Zahn, Kristina M. Vogel, Cara H. Olsen, Kunio Miyazawa, Dennis M. O'Connor

281 Low Proliferation Activity May Be Associated With Chemoresistance in Clear Cell Carcinoma of the Ovary
Lower proliferation of tumor may be a behavior of clear cell carcinoma of the ovary that contributes to its resistance to chemotherapy.
Hiroaki Itamochi, Junzo Kigawa, Toru Sugiyama, Yoshihiro Kikuchi, Mitsuaki Suzuki, Naoki Terakawa

288 Obesity, Weight Gain, and Ovarian Cancer
In this prospective study, we found no association between recent body mass index or adult weight change and ovarian cancer risk, but do report a two-fold higher risk of premenopausal ovarian cancer for women with higher body mass index in young adulthood.
Kathleen M. Fairfield, Walter C. Willett, Bernard A. Rosner, JoAnn E. Manson, Frank E. Speizer, Susan E. Hankinson

297 Psychiatric and Substance Use Disorders as Risk Factors for Low Birth Weight and Preterm Delivery
Psychiatric and substance use diagnoses were independently associated with low birth weight and preterm delivery in women delivering in California in 1995.
Rosemary H. Kelly, Joan Russo, Victoria L. Holt, Beate H. Danielsen, Douglas F. Zatzick, Edward Walker, Wayne Katon

305 The Feasibility of Using Histologic Placental Sections to Predict Newborn Nucleated Red Blood Cell Counts
Nucleated red blood cell counts from placental sections reflect newborn counts shortly after birth.
William M. Curtin, Bahig M. Shehata, Sadik A. Khuder, Haynes B. Robinson, Brian C. Brost

311 Altered Sonographic Umbilical Cord Morphometry in Early-Onset Preeclampsia
The umbilical cords of women with early-onset preeclampsia are more likely to be lean and to have a smaller umbilical vein size than those of women with an uneventful pregnancy course.
Luigi Raio, Fabio Ghezzi, Edoardo Di Naro, Massimo Franchi, Daniele Bolla, Henning Schneider

317 Fibrinogen and Factor VII Promoter Polymorphisms in Women With Preeclampsia
There was no association between the G-455A polymorphism of the fibrinogen gene promoter or the decamer insertion or deletion polymorphism of the factor VII gene promoter and the occurrence of preeclampsia.
Jaana Laasanen, Mikko Hiltunen, Kari Punnonen, Arto Mannermaa, Seppo Heinonen

321 Preventability of Maternal Deaths: Comparison Between Zambian and American Referral Hospitals
Over 40% of maternal deaths were deemed possibly preventable, with system and provider issues identified as contributory factors.
Sarah J. Kilpatrick, Karen E. Crabtree, Andrea Kemp, Stacie Geller

327 Plasma and Placental Levels of Interleukin-10, Transforming Growth Factor-β_1, and Epithelial-Cadherin in Preeclampsia
The plasma and placental levels of interleukin-10, transforming growth factor-β_1, and epithelial-cadherin are significantly increased in preeclamptic pregnancies.
Ali Benian, Riza Madazli, Feridun Aksu, Hafize Uzun, Seval Aydın

332 Use of Selective Factor V Leiden Screening in Pregnancy to Identify Candidates for Anticoagulants
Selective screening for factor V Leiden improved our identification of gravidas at high risk of postpartum thrombosis.
Pelle G. Lindqvist, Per Olofsson, Björn Dahlbäck

337 Diagnosing Interstitial Cystitis in Women With Chronic Pelvic Pain
In women with chronic pelvic pain with a score of at least 5 on the Interstitial Cystitis Symptom Index, the diagnosis of interstitial cystitis should be considered.
Jeffrey L. Clemons, Lily A. Arya, Deborah L. Myers

342 Comprehension of a Prototype Over-the-Counter Label for an Emergency Contraceptive Pill Product
A prototype over-the-counter label for an emergency contraceptive pill product was well understood by most women.
Elizabeth G. Raymond, Sandra M. Dalebout, Sharon I. Camp

350 Valdecoxib, a Cyclooxygenase-2-Specific Inhibitor, Is Effective in Treating Primary Dysmenorrhea
The cyclooxygenase-2-specific inhibitor valdecoxib is efficacious and well tolerated in the treatment of menstrual pain associated with primary dysmenorrhea.
Stephen E. Daniels, Sheela Talwalker, Sarah Torri, Michael C. Snabes, David P. Recker, Kenneth M. Verburg

359 Treatment of Vulvovaginal Lichen Planus With Vaginal Hydrocortisone Suppositories
Response to treatment of vulvovaginal lichen planus with hydrocortisone suppositories was good.
Melissa Anderson, Susan Kutzner, Raymond H. Kaufman

CURRENT COMMENTARY

363 Mother's Day
Natalie A. Mariano

364 Postmenopausal Hormone Use and Skeletal Fracture: Does the Size of the Benefit Decrease With Increasing Age?
Long-term hormone use appears to reduce the risk of skeletal fracture in postmenopausal women irrespective of age.
Noel S. Weiss, Miriam M. Treggiari

HIGH-RISK PREGNANCY SERIES: AN EXPERT'S VIEW

369 **Chronic Hypertension in Pregnancy**
Management of women with chronic hypertension should include preconception counseling and evaluation of maternal and fetal well-being; antihypertensive agents are used in the "high-risk" group.
Baha M. Sibai

DEPARTMENTS

378 **Letters to the Editor**

ACOG PUBLICATIONS

387 **Practice Bulletin #37: Thyroid Disease in Pregnancy**

397 **Educational and Practice Bulletins List of Titles**

399 **Committee Opinion List of Titles**

VOLUME 100, NUMBER 3, SEPTEMBER 2002

EDITORIAL

403 **Show Me the Evidence**
James R. Scott

405 **Rh-Disease: A Perinatal Success Story**
John T. Queenan

ORIGINAL RESEARCH

LEAD ARTICLE
408 **Antiphospholipid Syndrome in Pregnancy: A Randomized, Controlled Trial of Treatment**
Ninety-eight women with antiphospholipid syndrome and recurrent miscarriage randomized to aspirin ± heparin resulted in a live-birth rate over 70% in both groups.
Roy G. Farquharson, Siobhan Quenby, Michael Greaves

414 **Neonatal Outcome in Pregnancies From Ovarian Stimulation**
Suboptimum neonatal outcome after ovarian stimulation, including an increased risk for congenital malformations, is apparently mainly an effect of maternal characteristics related to subfertility.
B. Källén, P. Otterblad Olausson, K. G. Nygren

420 Human Immunodeficiency Virus Counseling and Testing Practices Among North Carolina Providers
Many obstetric providers offer human immunodeficiency virus testing to pregnant women although numerous variances occur between obstetricians, family physicians, and nurse-midwives who practice obstetrics.
Karen Troccoli, Harold Pollard, III, Michael McMahon, Evelyn Foust, Kristine Erickson, Jay Schulkin

428 Outcome of Pregnancies With Vertical Transmission of Primary Cytomegalovirus Infection
We present prenatal and neonatal outcomes of 50 pregnancies with proven primary maternal infection and vertical transmission of cytomegalovirus.
Shlomo Lipitz, Reuven Achiron, Yaron Zalel, Ella Mendelson, Michal Tepperberg, Ronni Gamzu

435 Premenstrual Daily Fluoxetine for Premenstrual Dysphoric Disorder: A Placebo-Controlled, Clinical Trial Using Computerized Diaries
Premenstrual daily dosing with fluoxetine 20 mg is a well-tolerated and effective treatment for mood, physical, and social functioning symptoms associated with premenstrual dysphoric disorder.
Lee S. Cohen, Cherri Miner, Eileen Brown, Ellen W. Freeman, Uriel Halbreich, Karen Sundell, Susan McCray

445 Significant Increase of Benign Endometrial Cells on Papanicolaou Smears in Women Using Hormone Replacement Therapy
There is an increased prevalence of benign endometrial cells on Papanicolaou smears in women taking hormone replacement therapy without an increase of abnormal endometrial histology.
Sharon L. Mount, Elisabeth K. Wegner, Gamal H. Eltabbakh, Jennifer I. Olmstead, Anne E. Drejet

451 Preference and Compliance in Postoperative Thromboembolism Prophylaxis Among Gynecologic Oncology Patients
Pneumatic compression and low molecular weight heparin are similar both in terms of patient preference and compliance among gynecologic oncology patients receiving postoperative thromboembolism prophylaxis.
G. Larry Maxwell, Ingrid Synan, Risa P. Hayes, Daniel L. Clarke-Pearson

456 Lower Genital Tract Infection and Endometritis: Insight Into Subclinical Pelvic Inflammatory Disease
Subclinical PID is present in one in four women infected with *Neisseria gonorrhoeae* or *Chlamydia trachomatis* and one in seven women with bacterial vaginosis.
Harold C. Wiesenfeld, Sharon L. Hillier, Marijane A. Krohn, Antonio J. Amortegui, R. Phillips Heine, Daniel V. Landers, Richard L. Sweet

465 Teratogenicity of Recently Introduced Medications in Human Pregnancy
The teratogenic risk in human pregnancy is undetermined for therapeutic use of more than 90% of drugs approved by the US Food and Drug Administration between 1980 and 2000.
W. Y. Lo, J. M. Friedman

474 Fetal and Neonatal Mortality Among Twin Gestations in the United States: The Role of Intrapair Birth Weight Discordance
Increased twin birth weight discordance is associated with increased risk of a stillborn fetus.
Kitaw Demissie, Cande V. Ananth, Joyce Martin, Maryellen L. Hanley, Marian F. MacDorman, George G. Rhoads

481 **Young Maternal Age Associated With Increased Risk of Postneonatal Death**
Healthy infants born to early adolescent mothers are at increased risk of postneonatal death compared with infants born to adult mothers.
Maureen Glennon Phipps, Jeffrey D. Blume, Sonya M. DeMonner

487 **KUR-1246, a Novel β_2-Adrenoceptor Agonist, as a Tocolytic Agent**
KUR-1246 possesses a powerful tocolytic action and has fewer adverse effects on maternal and fetal physiologic parameters in pregnant sheep than does ritodrine hydrochloride.
Sumiyoshi Kiguchi, Tadashi Matsuda, Kazutoshi Cho, Kazuhiko Okuyama, Masuo Akahane, Seiichiro Fujimoto

495 **Flaxseed Dietary Supplement Versus Hormone Replacement Therapy in Hypercholesterolemic Menopausal Women**
Although flaxseed dietary supplement also relieves menopausal symptoms, only oral estrogen-progesterone replacement significantly improves hypercholesterolemia and favorably modifies markers of cardiovascular health.
André Lemay, Sylvie Dodin, Nadine Kadri, Hélène Jacques, Jean-Claude Forest

505 **Presumed Diagnosis of Ectopic Pregnancy**
Because the presumed diagnosis of ectopic pregnancy is inaccurate in 40% of cases, dilation and curettage is necessary to exclude the presence of a miscarriage before treatment.
Kurt T. Barnhart, Ingrid Katz, Amy Hummel, Clarisa R. Gracia

511 **The Effect of Interval Tubal Sterilization on Sexual Interest and Pleasure**
Interval tubal sterilization is unlikely to result in changed sexual interest or pleasure; among women with change, far more experience positive than negative sexual effects.
Caroline Costello, Susan D. Hillis, Polly A. Marchbanks, Denise J. Jamieson, Herbert B. Peterson, for the US Collaborative Review of Sterilization Working Group

518 **Tension-Free Vaginal Tape: A Quality-of-Life Assessment**
Two validated tools measuring the impact of urinary incontinence on quality of life confirm that tension-free vaginal tape results in significant improvement.
Brett J. Vassallo, Steven D. Kleeman, Jeffrey L. Segal, Peggy Walsh, Mickey M. Karram

525 **Perinatal Antibiotic Usage and Changes in Colonization and Resistance Rates of Group B Streptococcus and Other Pathogens**
In this cohort study of 1207 women, perinatal antibiotic usage was more than 50% but was not associated with increased acquisition of resistant bacteria.
Renee Spaetgens, Kim DeBella, Doreen Ma, Sheila Robertson, Melissa Mucenski, H. Dele Davies

534 **Intrapartum Antibiotic Prophylaxis 1: Relative Effects of Recommended Antibiotics on Gram-Negative Pathogens**
Intrapartum antibiotic prophylaxis with either ampicillin or penicillin increases the exposure of neonates to ampicillin-resistant gram-negative bacteria.
Rodney K. Edwards, Penny Clark, Christopher L. Sistrom, Patrick Duff

540 **Intrapartum Antibiotic Prophylaxis 2: Positive Predictive Value of Antenatal Group B Streptococci Cultures and Antibiotic Susceptibility of Clinical Isolates**
Antenatal cultures for group B streptococci are less predictive of intrapartum cultures than was previously reported.
Rodney K. Edwards, Penny Clark, Patrick Duff

545 Pulsed-Field Fingerprinting of Vaginal Group B Streptococcus in Pregnancy
Pulsed-field gel electrophoresis of group B streptococci is more discriminating than serotyping.
Kevin D. Benson, John B. Luchansky, John A. Elliott, Alan J. Degnan, Holly J. Willenberg, James M. Thornbery, Helen H. Kay

552 Human Chorionic Gonadotropin and Testosterone in Normal and Preeclamptic Pregnancies in Relation to Fetal Sex
Human chorionic gonadotropin and testosterone levels were elevated in preeclamptic women, particularly in those with male fetuses.
Johan Arnt Steier, Magnar Ulstein, Ole L. Myking

557 The Correlation of Seizures in Newborn Infants With Significant Acidosis at Birth With Umbilical Artery Cord Gas Values
Severe fetal acidemia identified by a pH less than 7.0 was the most important umbilical blood gas variable for predicting early onset of neonatal seizures.
Keith P. Williams, Avash Singh

561 Monochorionic High-Order Multiple Pregnancies and Multifetal Pregnancy Reduction
Monochorionic triplet pregnancies frequently show an adverse pregnancy outcome; fetal reduction of monochorionic pairs in multiple gestations is associated with a high baby take-home rate.
Luc De Catte, Michel Camus, Walter Foulon

567 Transforming Growth Factor-β1 in Fetal Serum Correlates With Insulin-like Growth Factor-I and Fetal Growth
Analysis of transforming growth factor-β1 in cord blood serum showed a strong correlation with birth weight, indicating that low levels may be associated with presence of intrauterine growth restriction.
Eva Östlund, Michael Tally, Gabriel Fried

574 Vaginal Uterine Artery Ligation Avoids High Blood Loss and Puerperal Hysterectomy in Postpartum Hemorrhage
Vaginal uterine artery ligation is a novel, simple, effective, and minimally invasive technique for preventing excess blood loss and hysterectomy in intractable postpartum hemorrhage.
Gundula Hebisch, Albert Huch

579 Predicting Chlamydial and Gonococcal Cervical Infection: Implications for Management of Cervicitis
Cervical signs suggesting chlamydia or gonorrhea support empiric treatment for women younger than 25 years; routinely performing endocervical Gram-stained smear in cervicitis evaluation is not warranted.
Jeanne M. Marrazzo, H. Hunter Handsfield, William L. H. Whittington

585 Efficacy, Cycle Control, and User Acceptability of a Novel Combined Contraceptive Vaginal Ring
This novel combined contraceptive vaginal ring is effective, has excellent cycle control, and is well tolerated and convenient to use.
Thom O. M. Dieben, Frans J. M. E. Roumen, Dan Apter

CURRENT COMMENTARY

594 Pharmaceutical Sales Representatives and the Doctor/Patient Relationship
The practice of providing clinical "preceptorships" to pharmaceutical sales representatives is unethical and should not be permitted.
L. Lewis Wall, Douglas Brown

HIGH-RISK PREGNANCY SERIES: AN EXPERT'S VIEW

600 **Management of Rhesus Alloimmunization in Pregnancy**
The management of rhesus D alloimmunization in pregnancy continues to evolve to now include fetal genotyping and middle cerebral artery Doppler detection of fetal anemia.
Kenneth J. Moise, Jr

DEPARTMENTS

612 **Letters to the Editor**

ACOG PUBLICATIONS

617 **Practice Bulletin #38: Perinatal Care at the Threshold of Viability**

625 **Committee Opinion #275: Obstetric Management of Patients with Spinal Cord Injuries**

VOLUME 100, NUMBER 4, OCTOBER 2002

EDITORIAL

629 **The Increasing Cost of Medical Care**
John T. Queenan

631 **The "CONSORT" Guidelines for Randomized Controlled Trials in *Obstetrics & Gynecology***
David A. Grimes

ORIGINAL RESEARCH

LEAD ARTICLE
633 **Maternal and Perinatal Morbidity Associated With Classic and Inverted T Cesarean Incisions**
Compared with low transverse cesarean delivery, maternal and perinatal morbidity is higher with both classic cesarean and inverted "T" cesarean deliveries.
Leslie S. Patterson, Colleen M. O'Connell, Thomas F. Baskett

638 **Prospective Risk of Stillbirth in Multiple-Gestation Pregnancies: A Population-Based Analysis**
Risk of stillbirth in multiple gestations at 37–38 weeks' gestation is equivalent to that of postterm singleton pregnancy.
Shanthi Sairam, Kate Costeloe, Baskaran Thilaganathan

642 **Maternal Temperature Variation During Parturition**
In the normal full-term parturient, labor alone does not significantly increase body temperature.
M. Lisa Bartholomew, Eric Ashkin, Amy Schiffman, John W. Larsen

648 **Measurement of Nuchal Translucency as a Single Strategy in Trisomy 21 Screening: Should We Use Any Other Marker?**
Early second-trimester nuchal measurement can be a simple screening strategy to detect fetal trisomy 21.
Carmina Comas, Margarita Torrents, Ana Muñoz, Eugenia Antolín, Francesc Figueras, Mónica Echevarría

655 **Leptin as an Acute Stress-Related Hormone in the Fetoplacental Circulation**
Leptin may be an acute stress-related hormone.
Yuichiro Takahashi, Yasuhiro Yokoyama, Ichiro Kawabata, Shinichi Iwasa, Teruhiko Tamaya

659 **Previous Tubal Ligation Is a Risk Factor for Hysterectomy After Rollerball Endometrial Ablation**
Previous tubal ligation is a risk factor for new or worse pelvic pain and hysterectomy after rollerball endometrial ablation.
Alison Mall, Gerald Shirk, Bradley J. Van Voorhis

665 **A Comparison of In Vitro Maturation and In Vitro Fertilization for Women With Polycystic Ovaries**
Unstimulated in vitro maturation of oocytes in women with polycystic ovaries has lower implantation and pregnancy rates but less ovarian hyperstimulation than stimulated in vitro fertilization.
Tim J. Child, Simon J. Phillips, Ahmad Kamal Abdul-Jalil, Bulent Gulekli, Seang Lin Tan

671 **Surgical Staging in Patients With Ovarian Tumors of Low Malignant Potential**
Outcome was not improved in patients with ovarian tumors of low malignant potential who were surgically staged compared with patients who were not staged.
William E. Winter, III, Paul R. Kucera, William Rodgers, John W. McBroom, Cara Olsen, G. Larry Maxwell

677 **Aspirin-Induced Inhibition of Ovarian Tumor Cell Growth**
Aspirin inhibits ovarian carcinoma cell growth in vitro.
Janet G. Drake, Jeanne L. Becker

683 **Work Loss Associated With Increased Menstrual Loss in the United States**
Menstrual bleeding has significant economic implications for women in the workplace.
Isabelle Côté, Philip Jacobs, David Cumming

689 **Effect of Oral Misoprostol After Second-Trimester Delivery: A Randomized, Blinded Study**
Oral misoprotol does not shorten the third stage of labor in second-trimester deliveries.
Jeanette Leader, Marcella Bujnovsky, S. J. Carlan, Thao Triana, Kristine Richichi

695 **Benefits of Term Delivery in Infants With Antenatally Diagnosed Gastroschisis**
Term delivery of infants with gastroschisis results in earlier primary closure of the defect, tolerance of first and full feedings, and hospital discharge.
Jasmine Huang, Arlet G. Kurkchubasche, Stephen R. Carr, Conrad W. Wesselhoeft, Jr, Thomas F. Tracy, Jr, Francois I. Luks

700 Physical Partner Abuse During Pregnancy: A Risk Factor for Low Birth Weight in Nicaragua
Physical abuse by a partner during pregnancy is an independent risk factor for a low birth weight infant.
Eliette Valladares, Mary Ellsberg, Rodolfo Peña, Ulf Högberg, Lars Åke Persson

706 Increased Endothelial Monocyte Chemoattractant Protein-1 and Interleukin-8 in Preeclampsia
Plasma from women with severe preeclampsia has increased monocyte chemoattractant protein-1 and interleukin-8 and stimulates the production of these chemokines in vascular endothelial cells.
Scott Kauma, Peter Takacs, Constantine Scordalakes, Scott Walsh, Kermic Green, Thomas Peng

715 Renal Artery Doppler Investigation of the Etiology of Oligohydramnios in Postterm Pregnancy
Elevated fetal renal artery Doppler resistance index due to reduced end-diastolic velocity suggests that reduced renal perfusion is the cause of oligohydramnios in prolonged pregnancy.
A. U. Oz, B. Holub, I. Mendilcioglu, G. Mari, R. O. Bahado-Singh

719 Prevalence of Anal Incontinence in Women With Symptoms of Urinary Incontinence and Genital Prolapse
The prevalence of anal incontinence is 20% among women with pelvic floor dysfunctions. Anal incontinence is significantly associated with urinary incontinence and severe rectocele.
Michele Meschia, Arturo Buonaguidi, Paola Pifarotti, Edgardo Somigliana, Maurizio Spennacchio, Fabio Amicarelli

724 Outcomes of Endometrial Cancer Patients Undergoing Surgery With Gynecologic Oncology Involvement
Involvement of a gynecologic oncologist at the time of primary surgery for endometrial cancer was associated with comparable outcomes in both the university and community hospital setting.
Michael L. Pearl, Jeannine A. Villella, Fidel A. Valea, Paul A. DiSilvestro, Eva Chalas

730 Effect of Adding Biofeedback to Pelvic Floor Muscle Training to Treat Urodynamic Stress Incontinence
There is no statistically significant additional effect of adding biofeedback to pelvic floor muscle training for treatment of female urodynamic stress incontinence.
Siv Mørkved, Kari Bø, Toril Fjørtoft

740 Costs and Effectiveness of Alternative Strategies for Cervical Cancer Screening in Military Beneficiaries
More sensitive cervical cancer screening performed less frequently may be more effective and less expensive than the conventional cytology done annually.
G. Larry Maxwell, Jay W. Carlson, Mark Ochoa, Tom Krivak, G. Scott Rose, Evan R. Myers

749 A 10-Year Population-Based Study of Uterine Rupture
Compared with uterine dehiscence, complete uterine rupture is associated with a significantly increased risk of maternal blood transfusion and neonatal asphyxia.
Katharina E. Kieser, Thomas F. Baskett

754 Relationship Between Adenosine Deaminase Activity and Cytokine-Secreting T Cells in Normal Pregnancy
Decreased plasma activity of adenosine deaminase may be in part associated with the decrease in the proportion of interferon-γ-secreting cells during normal pregnancy.
Yoshio Yoneyama, Rintaro Sawa, Shunji Suzuki, Koichi Yoneyama, Daisuke Doi, Tsutomu Araki

759 A Multiplex Polymerase Chain Reaction–Based Diagnostic Method for Bacterial Vaginosis
Positive amplification of one of the anaerobes, *Mobiluncus* species, *Bacteroides fragilis*, and *Gardnerella vaginalis*, is indicative of bacterial vaginosis.
Mana Obata-Yasuoka, William Ba-Thein, Hiromi Hamada, Hideo Hayashi

765 Douching in Relation to Bacterial Vaginosis, Lactobacilli, and Facultative Bacteria in the Vagina
Douching at least once per month is associated with bacterial vaginosis, *Gardnerella vaginalis*, *Mycoplasma hominis*, and an absence of hydrogen peroxide-producing lactobacilli in the vagina.
Roberta B. Ness, Sharon L. Hillier, Holly E. Richter, David E. Soper, Carol Stamm, James McGregor, Debra C. Bass, Richard L. Sweet, Peter Rice

773 Pregnancy-Associated Assault Hospitalizations
Hospitalization rates for assaults are high among pregnant women and are associated with their younger ages, risk of assaults in nonwhite women, and lower admission thresholds.
Harold B. Weiss, Bruce A. Lawrence, Ted R. Miller

781 Assessment of Cervical Cancer Radioresponse by Serum Squamous Cell Carcinoma Antigen and Magnetic Resonance Imaging
An investigation of the possibility of objective assessment of cervical cancer radioresponse via determination of serum squamous cell carcinoma antigen levels and magnetic resonance imaging–based estimation of tumor shrinkage.
Kiyoshi Ohara, Yumiko Oishi Tanaka, Hajime Tsunoda, Masato Nishida, Shinji Sugahara, Yuji Itai

788 Ovarian and Extraovarian Endometriosis-Associated Cancer
Endometriosis-associated cancer patients are typically premenopausal with endometrioid/clear cell histology and often have early stage disease, and stage and gravidity independently predict survival.
Susan C. Modesitt, Guillermo Tortolero-Luna, Jubilee B. Robinson, David M. Gershenson, Judith K. Wolf

796 The Urethra During Pelvic Floor Contraction: Observations on Three-Dimensional Ultrasound
On three-dimensional ultrasound the female urethra shows signs of external compression rather than active contraction during voluntary pelvic floor activity.
Wolfgang H. Umek, Thomas Laml, Dietmar Stutterecker, Andreas Obermair, Sepp Leodolter, Engelbert Hanzal

801 Sexually Transmitted Disease Screening by United States Obstetricians and Gynecologists
We compared a national estimate of screening practices of obstetricians and gynecologists to screening by other physicians for sexually transmitted diseases.
Matthew Hogben, Janet S. St. Lawrence, Danuta Kasprzyk, Daniel E. Montano, George W. Counts, Donna H. McCree, William Phillips, Marianne Scharbo-DeHaan

808 **Leukorrhea and Bacterial Vaginosis as In-Office Predictors of Cervical Infection in High-Risk Women**
Leukorrhea was a powerful predictor of cervical infection in pregnant and nonpregnant outpatient women, allowing for on-site diagnosis and treatment of high-risk women.
Michele M. Hakakha, Jane Davis, Lisa M. Korst, Neil S. Silverman

HIGH-RISK PREGNANCY SERIES: AN EXPERT'S VIEW

813 **Problems With Intrapartum Fetal Heart Rate Monitoring Interpretation and Patient Management**
Except for completely normal fetal heart rate patterns and patterns considered ominous, there is a lack of consensus regarding patterns between these extremes.
Roger K. Freeman

DEPARTMENTS

827 **Letters to the Editor**

ACOG PUBLICATIONS

835 **Practice Bulletin #39: Selective Estrogen Receptor Modulators**

845 **Committee Opinion #276: Safety of Lovenox in Pregnancy**

VOLUME 100, NUMBER 5, PART 1, NOVEMBER 2002

EDITORIAL

847 **Uterine Artery Embolization: What More Do We Need to Know?**
Evan R. Myers

849 **Hormone Replacement Therapy: Developing a Strategy**
John T. Queenan

851 **Are Doctors Next?**
Frank H. Boehm

ORIGINAL RESEARCH

LEAD ARTICLE
853 **Bleeding Patterns of the Hormone Replacement Therapies in the Postmenopausal Estrogen and Progestin Interventions Trial**
Analysis of the Postmenopausal Estrogen and Progestin Interventions Trial data shows highly significant differences in bleeding patterns between hormone therapy regimens.
Etta A. Lindenfeld, Robert D. Langer

864 **Comparison of Long-Term Outcomes of Myomectomy and Uterine Artery Embolization**
Surgical intervention for myomas is more common in the 3–5 years after uterine artery embolization than in the 3–5 years after myomectomy.
Michael S. Broder, Scott Goodwin, Gary Chen, Linda J. Tang, Mary M. Costantino, Michael H. Nguyen, Tugce N. Yegul, Heike Erberich

CASE REPORT

869 **Pregnancy After Uterine Artery Embolization**
Pregnancy complications after uterine artery embolization include malpresentation, preterm birth, cesarean delivery, and postpartum hemorrhage.
Jay Goldberg, Leonardo Pereira, Vincenzo Berghella

ORIGINAL RESEARCH

873 **Complications After Uterine Artery Embolization for Leiomyomas**
Short-term complications are infrequent after uterine embolization for uterine leiomyomas.
James B. Spies, Amy Spector, Antoinette R. Roth, Chandra M. Baker, Lauren Mauro, Kerry Murphy-Skrynarz

CASE REPORTS

881 **Labial Necrosis After Uterine Artery Embolization for Leiomyomata**
Nontarget labial embolization involving severe vulvar pain and necrotic-appearing skin changes after uterine artery embolization was successfully managed using conservative therapy.
Thomas J. Yeagley, Jay Goldberg, Thomas A. Klein, Joseph Bonn

883 **Embolic Microspheres Within Ovarian Arterial Vasculature After Uterine Artery Embolization**
Embolic microspheres found within the ovarian arterial vasculature of a woman undergoing emergency hysterectomy after uterine artery embolization provide a mechanism for compromised blood flow and observed ovarian failure after uterine artery embolization.
John F. Payne, Stanley J. Robboy, A. F. Haney

ORIGINAL RESEARCH

887 **Lubrication of the Vaginal Introitus and Speculum Does Not Affect Papanicolaou Smears**
Vaginal lubrication before speculum insertion does not adversely affect Papanicolaou smears.
W. Benson Harer, Jr, Guillermo Valenzuela, Debra Lebo

889 **The Effect of Vaginal Speculum Lubrication on the Rate of Unsatisfactory Cervical Cytology Diagnosis**
The application of water-soluble lubricant to the outside of the inferior vaginal speculum blade did not change the rate of unsatisfactory cervical cytology diagnosis.
Anne-Marie E. Amies, Leslie Miller, Shu-Kuang Lee, Laura Koutsky

893 Tension-Free Vaginal Tape: Outcomes Among Women With Primary Versus Recurrent Stress Urinary Incontinence
Tension-free vaginal tape is an effective treatment for patients with recurrent stress urinary incontinence, including those with intrinsic sphincter deficiency or prolapse.
C. R. Rardin, N. Kohli, P. L. Rosenblatt, J. R. Miklos, R. Moore, W. C. Strohsnitter

898 Release of Tension-Free Vaginal Tape for the Treatment of Refractory Postoperative Voiding Dysfunction
Persistent post-tension-free vaginal tape voiding dysfunction is effectively treated with a simple vaginal release procedure, without unduly compromising continence benefits.
C. R. Rardin, P. L. Rosenblatt, N. Kohli, J. R. Miklos, M. Heit, V. R. Lucente

903 Antenatal Diagnosis of Single Umbilical Artery: Is Fetal Echocardiography Warranted?
The sonographic finding of isolated single umbilical artery is associated with a low risk of cardiac malformations, and fetal echocardiography may not be warranted.
Dana R. Gossett, Michael E. Lantz, Christian A. Chisholm

909 Maternal Health in Sudden Intrauterine Unexplained Death: Do Urinary Tract Infections Protect the Fetus?
Maternal urinary tract infection during pregnancy protects the fetus against subsequent sudden intrauterine unexplained death, although the risk remains unaffected by maternal health in general.
J. Frederik Frøen, Randi A. Møyland, Ola Didrik Saugstad, Babill Stray-Pedersen

916 Gestational Cocaine Exposure and Intrauterine Growth: Maternal Lifestyle Study
Cocaine exposure has a negative impact on birth measurements, independent of the effects of smoking, alcohol, marijuana, and maternal medical complications.
Henrietta S. Bada, Abhik Das, Charles R. Bauer, Seetha Shankaran, Barry Lester, Linda L. Wright, Joel Verter, Vincent L. Smeriglio, Loretta P. Finnegan, Penelope L. Maza

925 Maternal Diabetes Mellitus and Infant Malformations
Women with pregestational diabetes or gestational diabetes plus fasting hyperglycemia have a three- to four-fold increased risk of infant malformations.
Jeanne S. Sheffield, Erin L. Butler-Koster, Brian M. Casey, Donald D. McIntire, Kenneth J. Leveno

931 Differential Blood Flow in Uterine, Ophthalmic, and Brachial Arteries of Preeclamptic Women
Ultrasound evaluation of fetoplacental, uterine, and orbital circulation and flow-mediated vasodilation of the brachial artery help differentiate the degree and severity of preeclampsia.
Masayo Takata, Mikiya Nakatsuka, Takafumi Kudo

CASE REPORTS

940 Bilateral Retinal Occlusion Progressing to Long-Lasting Blindness in Severe Preeclampsia
The presence of bilateral Purtscher-like retinopathy secondary to severe preeclampsia may cause permanent blindness.
Eduardo Lara-Torre, Michael S. Lee, Melissa A. Wolf, Dinesh M. Shah

943 Permanent Blindness as a Complication of Pregnancy-Induced Hypertension
Blindness associated with pregnancy-induced hypertension may be secondary to numerous etiologies.
Cher P. Moseman, Stuart Shelton

ORIGINAL RESEARCH

946 Pregnancy After Classic Cesarean Delivery
In the first pregnancy after a classic cesarean delivery, uterine dehiscence occurred in 9% and uterine rupture occurred in 0.6% of patients.
Suneet P. Chauhan, Everett F. Magann, Christopher D. Wiggs, P. Scott Barrilleaux, James N. Martin, Jr

951 Fetal Heart Rate Parameters Predictive of Neonatal Outcome in the Presence of a Prolonged Deceleration
The most significant factor predicting the development of pathologic neonatal acidemia in the presence of a bradycardia is decreased variability before the bradycardia.
Keith P. Williams, France Galerneau

955 Medical Licensure Examination Scores: Relationship to Obstetrics and Gynecology Examination Scores
There are linear correlations between the United States Medical Licensure Examination Step 1 and Step 2 and the National Board of Medical Examiners Obstetrics and Gynecology final examination. Poor scores on any examination can predict poor performance on future examinations.
Thomas D. Myles, Robert C. Henderson, II

959 Obesity as an Independent Risk Factor for Infectious Morbidity in Patients Who Undergo Cesarean Delivery
Obesity is an independent risk factor for post-cesarean delivery infectious morbidity.
Thomas D. Myles, Jason Gooch, Joaquin Santolaya

965 Rate of Human Papillomavirus Clearance After Treatment of Cervical Intraepithelial Neoplasia
Most human papillomavirus infections are already cleared 3 months after surgical treatment for cervical intraepithelial neoplasia I–III, particularly among women with cervical intraepithelial neoplasia III treated with conization.
Kristina Elfgren, Marcel Jacobs, Jan M. M. Walboomers, Chris J. L. M. Meijer, Joakim Dillner

972 Optimizing the Hybrid Capture II Human Papillomavirus Test to Detect Cervical Intraepithelial Neoplasia
Increasing the positive cutoff for hybrid capture II human papillomavirus test may improve prediction of cervical intraepithelial neoplasia.
Michelle Howard, John Sellors, Janusz Kaczorowski

981 Pregnancy, Labor, Delivery, and Pelvic Organ Prolapse
Pelvic organ prolapse develops with similar frequency after vaginal delivery and cesarean delivery during active labor and in a comparable number of black and white women.
Eddie H. M. Sze, Gordon B. Sherard, III, Jeanette M. Dolezal

987 The Effect of a Nitric Oxide Donor on Fetal Heart Rate Patterns in Patients With Hypertension
Short-acting donors of nitric oxide can be administered safely to women with pregnancy-associated hypertension.
Israel Thaler, Hagit Kahana

992 Circulating Erythroblasts in Maternal Blood Are Not Elevated Before Onset of Preterm Labor
As opposed to fetal deoxyribonucleic acid in maternal serum, circulating erythroblasts in maternal blood are not increased before preterm labor.
Irene Hoesli, Milan Danek, Dexin Lin, Ying Li, Sinuhe Hahn, Wolfgang Holzgreve

REVIEWS

997 **Expectant Management Versus Labor Induction for Suspected Fetal Macrosomia: A Systematic Review**
Induction of labor for suspected fetal macrosomia appears to increase the cesarean delivery rate without improving perinatal outcomes.
Luis Sanchez-Ramos, Sara Bernstein, Andrew M. Kaunitz

1003 **Drug Therapy of Urinary Urge Incontinence: A Systematic Review**
Anticholinergic drugs are effective for the treatment of urinary urge incontinence, with predictable side effects. The use of selected alternative drugs is supported by the available data.
Guenther Haeusler, Harald Leitich, Mick van Trotsenburg, Alexandra Kaider, Clemens B. Tempfer

CURRENT COMMENTARY

1017 **Successful Assisted Reproductive Technology: The Beauty of One**
Advancing technology and rapidly increasing multiple births call for redefining clinical success from assisted reproduction to be the live birth of a singleton neonate.
Carol J. Rowland Hogue

HIGH-RISK PREGNANCY SERIES: AN EXPERT'S VIEW

1020 **The Management of Preterm Labor**
Obstetric strategies used to prevent and arrest preterm labor as well as to reduce adverse neonatal outcomes associated with preterm birth are reviewed.
Robert L. Goldenberg

DEPARTMENTS

1038 **Letters to the Editor**

ACOG PUBLICATIONS

1045 **Practice Bulletin #40: Shoulder Dystocia**

1051 **Committee Opinion #277: Patents, Medicine, and the Interests of Patients: Applying General Principles to Gene Patenting**

1057 **Committee Opinion #278: Avoiding Inappropriate Clinical Decisions Based on False-Positive Human Chorionic Gonadotropin Test Results**

VOLUME 100, NUMBER 5, PART 2, NOVEMBER 2002

CASE REPORTS

1061 **Pelvic Umbrella Pack for Refractory Obstetric Hemorrhage Secondary to Posterior Uterine Rupture**
The use of a pelvic umbrella pack can be lifesaving in the event of refractory obstetric hemorrhage.
Rebecca J. Howard, J. Michael Straughn, Jr, Warner K. Huh, Dwight J. Rouse

1063 **Shigellosis Complicating Preterm Premature Rupture of Membranes Resulting in Congenital Infection and Preterm Delivery**
Preterm premature rupture of membranes and congenital acquired infection can be caused by maternal shigellosis.
Andrei Rebarber, Brittany Star Hampton, Valerie Lewis, Samuel Bender

1065 **Dysmenorrhea After Bilateral Tubal Ligation: A Case of Retrograde Menstruation**
Retrograde menstruation and dilatation of proximal tubal segments with blood after bilateral tubal ligation can cause dysmenorrhea and pelvic pain that mimics the symptoms of endometriosis.
Kelly Morrissey, Nadine Idriss, Lynnette Nieman, Craig Winkel, Pamela Stratton

1067 **Pain in the Foot: Calcaneal Metastasis as the Presenting Feature of Endometrial Cancer**
Endometrial cancer presenting as a calcaneal metastasis is extremely rare, and aggressive treatment provided effective palliation of symptoms.
Tom P. Manolitsas, Jeffrey M. Fowler, Reinhard A. Gahbauer, Nilendu Gupta

1069 **Placenta Accreta Postpartum**
Sonohysterography is a useful tool in the diagnosis of placenta accreta postpartum.
Ginny L. Ryan, Timothy J. Quinn, Craig H. Syrop, Wendy F. Hansen

1072 **Gastric Rupture Associated With Pregnancy**
A woman presents with gastric rupture shortly after vaginal delivery.
Ae Seon Cha, Michael A. Krew, Todd Tamlyn, Prabhcharan Gill

1074 **Uterine Necrosis After Arterial Embolization for Postpartum Hemorrhage**
In the management of postpartum bleeding by arterial embolization, the use of particles of a small size must be avoided to prevent ischemic uterine necrosis.
J. P. Cottier, A. Fignon, F. Tranquart, D. Herbreteau

1077 **Respiratory Distress in a Pregnant Woman With Congenital Vocal Cord Paralysis**
Congenital vocal cord paralysis may result in life-threatening respiratory distress during pregnancy requiring tracheotomy.
Sherri Putterman, Reinaldo Figueroa, David Garry

1079 **Primary Breast Lymphoma, Contralateral Breast Cancer, and Bilateral Brenner Tumors of the Ovary**
We report the presence of primary breast lymphoma of the right breast, contralateral breast cancer, and bilateral Brenner tumors of the ovary.
K. A. Frei, H. M. Bonel, P. Forrer, J. Alleman, R. A. Steiner

1082 **Pelvic Castleman Disease Presenting as Vaginal Occlusion**
Recognition and surgical treatment of pelvic Castleman disease offer improvement for systemic manifestations, which may be mistaken for other benign conditions.
Glenn A. Gaunt, Bobbie S. Gostout, Ellen Remstein, William A. Cliby

1085 Treatment for Prolapse of the Sigmoid Neovagina in Mayer-Rokitansky-Kuster-Hauser Syndrome
Among two patients with prolapse of a sigmoid neovagina, one patient who underwent reconstruction surgery using a pudendal thigh flap has been making satisfactory progress.
Rei Yokomizo, Takashi Murakami, Hiroo Naitou, Atsushi Yamada

1087 Favorable Outcome in a Pregnancy With Complete Fetal Heart Block and Severe Bradycardia
Congenital heart block and severe fetal bradycardia, with a structurally normal heart, is managed successfully with standard fetal testing until documentation of fetal lung maturity.
Vatche A. Minassian, Allahyar Jazayeri

1089 Clitoral Priapism: A Rare Condition Presenting as a Cause of Vulvar Pain
Clitoral priapism is a rare condition causing pain that may develop with medications having alpha adrenergic blockade or in conditions altering clitoral blood flow.
Carlos A. Medina

1092 Thermal Balloon Endometrial Ablation for Management of Acute Uterine Hemorrhage
Reported is a case of acute uterine hemorrhage in a patient with end-stage liver failure and sepsis for which thermal balloon endometrial ablation was therapeutic.
Catherine Matthews Nichols, Edward J. Gill

1094 Coarctation of the Descending Thoracic Aorta Diagnosed During Pregnancy
Hypertension, a systolic murmur, and diminished lower extremity pulses led to diagnosis of extensive coarctation of the descending thoracic aorta at 21 weeks' gestation.
David M. Sherer

1096 Atrial Fibrillation in Pregnancy Associated With Oral Terbutaline
This is the first reported case of a pregnant woman developing atrial fibrillation on oral terbutaline.
Michael P. Carson, Allan J. Fisher, William E. Scorza

1098 Uterine Rupture at Term After Uncomplicated Hysteroscopic Metroplasty
Rupture of the uterus in early labor at term occurred in a woman with a prior uneventful hysteroscopic metroplasty.
Norman F. Angell, Josefina Tan Domingo, Naeem Siddiqi

1099 Androgen-Secreting Adrenal Adenomas
The possibility of adrenal adenomas must be considered in differential diagnosis as a cause of the hyperandrogenic syndrome.
K. Danilowicz, N. Albiger, M. Vanegas, R. M. Gómez, G. Cross, O. D. Bruno

1102 Successful Treatment of Extremely Severe Fetal Anemia Due to Kell Alloimmunization
Extremely severe Kell alloimmunization was successfully treated with plasmapheresis and intrauterine transfusions.
P. Collinet, D. Subtil, F. Puech, P. Vaast

1105 Invasive Squamous Cell Carcinoma of the Vagina During Pregnancy
Management of a young woman who presented at 20 weeks' gestation with a vaginal squamous cell carcinoma is described.
H. L. Steed, R. G. Pearcey, V. Capstick, L. H. Honore

1108 Rupture of Noncommunicating Rudimentary Uterine Horn Pregnancy
An unusual case of rupture of a noncommunicating rudimentary horn pregnancy, suspected antenatally by ultrasound, is presented.
George Daskalakis, Athanasios Pilalis, Katerina Lykeridou, Aris Antsaklis

1111 An Unusual Presentation of Struma Ovarii Mimicking a Malignant Process
An unusual case of struma ovarii is presented.
Vera Loizzi, Fabio Cappuccini, Michael L. Berman

1112 Modified Zavanelli Maneuver for the Alleviation of Shoulder Dystocia
The modified Zavanelli maneuver can be used to successfully alleviate shoulder dystocia.
Craig M. Zelig, Robert B. Gherman

1114 Rupture of the Symphysis Pubis During Vaginal Delivery Followed by Two Subsequent Uneventful Pregnancies
Rupture of the symphysis pubis during vaginal delivery is a rare but debilitating complication. There is a significant risk of repeat symphyseal rupture with subsequent vaginal delivery.
Patrick Culligan, Stephanie Hill, Michael Heit

1117 Triplet Cervical Pregnancy Treated With Intraamniotic Methotrexate
A case of triplet cervical pregnancy successfully treated by intraamniotic instillation of methotrexate is reported.
Eun-Hwan Jeong, Yong-Beom Kim, Ill-Woon Ji, Hak-Soon Kim

1119 Acute Renal Failure in Association With Severe Hyperemesis Gravidarum
Severe hyperemesis gravidarum can lead to acute renal failure requiring dialysis.
James B. Hill, Nicole P. Yost, George D. Wendel, Jr

1122 Uterine Leiomyosarcoma Metastatic to the Thyroid
A woman had stage IV leiomyosarcoma of the uterus metastatic to the thyroid.
Charles A. Leath, III, Warner K. Huh, J. Michael Straughn, Jr, Michael G. Conner

1124 Postmenopausal Intravenous Leiomyomatosis With High Levels of Estradiol and Estrogen Receptor
A case of intravenous leiomyomatosis with cardiac extension, which showed high levels of serum estradiol and tissue estrogen receptor, was treated with a one-stage operation.
Katsuji Kokawa, Mareo Yamoto, Chie Yata, Yasushi Mabuchi, Naohiko Umesaki

1126 *Streptococcus bovis* Bacteremia and Fetal Death
Severe intraamniotic infection is treated by supportive measures, administration of broad-spectrum antibiotics, and uterine evacuation, even when unusual organisms are implicated. Unusual organisms such as *Streptococcus bovis* can cause chorioamnionitis, fetal death, and maternal septic shock.
Benjamin A. White, S. A. Labhsetwar, Alec N. Mian

1129 Metastatic Endocervical Adenocarcinoma Presenting as a Virilizing Ovarian Mass During Pregnancy
Nearly all types of ovarian tumors, both primary and metastatic, have been reported to be associated with endocrine abnormalities. We report a case of metastatic endocervical adenocarcinoma that presented as a virilizing ovarian tumor discovered during pregnancy.
John L. Powell, Kimberly A. Bock, Jason K. Gentry, Warren C. White, Brigitte M. Ronnett

1133 Thrombotic Thrombocytopenic Purpura and Human Immunodeficiency Virus Complicating Pregnancy
We describe a case of thrombotic thrombocytopenic purpura in a pregnant human immunodeficiency virus–positive patient and discuss the implications of this combination for clinicians.
Angela C. Ranzini, Martin R. Chavez, Barbara Ghigliotty, Marcus Porcelli

1136 **Spontaneous Disappearance of a Normal Adnexa Associated With a Contralateral Polycystic-Appearing Ovary**
A subfertile patient with a unilateral-appearing ovary spontaneously lost a normal adnexa secondary to nonclinical torsion.
O. Olufowobi, O. Sorinola, M. Afnan, S. Papaioannou, J. M. McHugo, K. Sharif

1138 **Spontaneous Twin Gestation After Vaginal Dilation in a Woman With Uterus Didelphys and Bladder Exstrophy**
A woman with uterus didelphys and bladder exstrophy was managed with progressive vaginal dilation, resulting in successful conception and pregnancy.
Eliran Mor, Peyman Saadat, Rebecca Z. Sokol, Richard J. Paulson

1141 **Placental Site Trophoblastic Tumor Presenting With a Pneumothorax During Pregnancy**
Placental site trophoblastic tumor may present with a pneumothorax during pregnancy.
Jason D. Wright, Matthew A. Powell, Neil S. Horowitz, Phyllis C. Huettner, Frances White, Thomas J. Herzog

VOLUME 100, NUMBER 6, DECEMBER 2002

EDITORIAL

1145 **Reflection**
James R. Scott

1146 **"What's in a Name? That Which We Call a Rose, by Any Other Name . . ."**
Frederick B. Stehman, Jeanne M. Schilder

ORIGINAL RESEARCH

LEAD ARTICLE
1148 **Hormone Replacement Therapy Regimens and Breast Cancer Risk**
Continuous combined hormone replacement therapy is associated with an increased risk of breast cancer among current and long-term users; risk dissipates once use is discontinued.
Linda K. Weiss, Ronald T. Burkman, Kara L. Cushing-Haugen, Lynda F. Voigt, Michael S. Simon, Janet R. Daling, Sandra A. Norman, Leslie Bernstein, Giske Ursin, Polly A. Marchbanks, Brian L. Strom, Jesse A. Berlin, Anita L. Weber, David R. Doody, Phyllis A. Wingo, Jill A. McDonald, Kathleen E. Malone, Suzanne G. Folger, Robert Spirtas

1159 **Local Relapse in Patients Treated for Squamous Cell Vulvar Carcinoma: Incidence and Prognostic Value**
Primary tumor site local relapse or skin bridge recurrence, but not local relapse at a distant site, is a strong predictor for cancer-related death.
Roman Rouzier, Bassam Haddad, Francoise Plantier, Philippe Dubois, Monique Pelisse, Bernard-Jean Paniel

1168 Combined Second-Trimester Biochemical and Ultrasound Screening for Down Syndrome
Nuchal fold, femur, and humerus measurements, treated as continuous variables, can substantially enhance the quad test in second-trimester screening for Down syndrome.
Peter A. Benn, Lillian M. Kaminsky, Jun Ying, Adam F. Borgida, James F. X. Egan

1177 Episiotomy Use in the United States, 1979–1997
Although the episiotomy rate declined from 1979 to 1997, the rate in 1997 of 39 per 100 vaginal deliveries is higher than scientific evidence supports.
Anne M. Weber, Leslie Meyn

1183 Fetal Deaths in the United States: Influence of High-Risk Conditions and Implications for Management
Pregnancies with high-risk conditions are at increased risk for fetal death, particularly during the third trimester.
John C. Smulian, Cande V. Ananth, Anthony M. Vintzileos, William E. Scorza, Robert A. Knuppel

1190 Clinical Evaluation of a "Hand Pump" Vacuum Delivery Device
A comparative prospective clinical evaluation of the Kiwi OmniCup vacuum delivery device.
Richard Hayman, Jeanette Gilby, Sabaratnam Arulkumaran

1196 The Recurrence Risk of Adverse Outcome in the Second Pregnancy in Women With Rheumatic Disease
Women with rheumatic disease have higher recurrence risks for adverse pregnancy outcome than women without rheumatic disease.
Johan F. Skomsvoll, Valborg Baste, Lorentz M. Irgens, Monika Østensen

1203 The Resistance Index in the Fetal Middle Cerebral Artery by Gestational Age and Ventricle Size in a Normal Population
Prenatal ultrasonographic measurements of cerebral ventricular width and middle cerebral artery flow in 430 fetuses identified no significant association between middle cerebral artery flow and increased ventricular diameter.
Yaron Zalel, Benny Almog, Daniel S. Seidman, Reuven Achiron, Arie Lidor, Ronni Gamzu

1209 Menopausal Symptoms in Older Women and the Effects of Treatment With Hormone Therapy
Symptoms typically attributed to menopause are common in elderly women. Postmenopausal hormone therapy improves menopausal symptoms but has side effects that should be discussed in pretreatment counseling.
Vanessa M. Barnabei, Deborah Grady, Dale W. Stovall, Jane A. Cauley, Feng Lin, Cynthia A. Stuenkel, Marcia L. Stefanick, James H. Pickar

1219 Efficacy of Intermittent, Luteal Phase Sertraline Treatment of Premenstrual Dysphoric Disorder
A double-blind, randomized, placebo-controlled study demonstrates the efficacy of intermittent, luteal dosing with sertraline for the treatment of premenstrual dysphoric disorder.
Uriel Halbreich, Richard Bergeron, Kimberly A. Yonkers, Ellen Freeman, Anna L. Stout, Lee Cohen

1230 Urinary Incontinence Predictors and Life Impact in Ethnically Diverse Perimenopausal Women
Twenty-five percent of ethnically diverse perimenopausal women report moderate or severe urinary incontinence, predicted in part by mutable factors including body mass index and current smoking.
Carolyn M. Sampselle, Siobán D. Harlow, Joan Skurnick, Linda Brubaker, Irina Bondarenko

1239 Randomized Trial of Lidocaine Ointment Versus Placebo for the Treatment of Postpartum Perineal Pain
Lidocaine ointment does not lessen perineal pain or decrease oral pain medications used after an episiotomy or perineal laceration.
Vatche A. Minassian, Allahyar Jazayeri, Sam D. Prien, Rebecca L. Timmons, Keeli Stumbo

1244 Relationship Between Maternal Methadone Dosage and Neonatal Withdrawal
Maternal methadone dosage was significantly associated with treatment for narcotic withdrawal, neonatal abstinence score, and duration of neonatal hospitalization.
Jodi S. Dashe, Jeanne S. Sheffield, Debora A. Olscher, Sally J. Todd, Gregory L. Jackson, George D. Wendel, Jr

1250 Preterm Premature Rupture of Membranes: Nutritional and Socioeconomic Factors
Preterm premature rupture of membranes is associated with indicators of lower socioeconomic status and low maternal hemoglobin levels and is not associated with dietary intake or serum levels of folate, homocysteine, or vitamin B_{12}.
Sarah E. Ferguson, Graeme N. Smith, Mary Ellen Salenieks, Rory Windrim, Mark C. Walker

1257 Validation of the Quintero Staging System for Twin-Twin Transfusion Syndrome
Quintero staging at presentation did not predict prognosis, although a change in stage did.
M. J. O. Taylor, L. Govender, M. Jolly, L. Wee, N. M. Fisk

1266 Increased Plasma Adenosine Concentrations and the Severity of Preeclampsia
An elevation of plasma adenosine concentration correlates with the severity of preeclampsia, and may be an endogenous compensatory mechanism for preeclampsia.
Yoshio Yoneyama, Shunji Suzuki, Rintaro Sawa, Koichi Yoneyama, Gordon G. Power, Tsutomu Araki

1271 Hysterectomy for the Massive Leiomyomatous Uterus
Abdominal hysterectomy for the very large, myomatous uterus is associated with an increased complication rate relative to hysterectomy for the smaller uterus.
James B. Unger, Ricky Paul, Gloria Caldito

1276 A Stiff Bristled, Spiral-Shaped Ectocervical Brush: A Device for Transepithelial Tissue Biopsy
Transepithelial brush sampling is as reliable as a standard punch biopsy in detecting pathology of the cervix, with less pain and bleeding.
Bradley J. Monk, Michael Cogan, Juan C. Felix, Neal M. Lonky, Joel S. Bentz, C. Jay Marshall, Ramon M. Cestero, Leslie R. Rowe, Stewart A. Lonky

1285 **The Factor V Leiden Mutation and the Risk of Venous Thromboembolism in Gynecologic Oncology Patients**
The factor V Leiden mutation is not associated with an increased risk of venous thromboembolism in gynecologic oncology patients.
Amy J. Ravin, Robert P. Edwards, Marijane A. Krohn, Joseph R. Kelley, Wayne A. Christopherson, James M. Roberts

1290 **E-Cadherin Expression in Endometrioid, Papillary Serous, and Clear Cell Carcinoma of the Endometrium**
Papillary serous and clear cell carcinomas of the endometrium are less likely to express E-cadherin than endometrioid carcinoma.
Kevin Holcomb, Roberto Delatorre, Bader Pedemonte, Carla McLeod, Lisa Anderson, Joseph Chambers

CURRENT COMMENTARY

1296 **Thomas Eakins' *Agnew Clinic*: A Study of Medicine Through Art**
Thomas Eakins' 1889 masterpiece, *The Agnew Clinic*, beautifully depicts how late 19th-century medicine rapidly evolved and how society was uneasy in accepting this new world.
Michael M. Frumovitz

REVIEW

1301 **Systematic Review of Randomized Controlled Trials of Misoprostol to Prevent Postpartum Hemorrhage**
Conventional injectable uterotonics are more effective than misoprostol in the active management of the third stage of labor.
J. Villar, A. M. Gülmezoglu, G. Justus Hofmeyr, F. Forna

HIGH-RISK PREGNANCY SERIES: AN EXPERT'S VIEW

1313 **Cerclage and Cervical Insufficiency: An Evidence-Based Analysis**
Although randomized studies of cervical cerclage have not demonstrated a beneficial effect, recent changes in diagnostic methods require new appraisal.
James H. Harger

CURRENT COMMENTARY

1328 ***Fitsari 'Dan Duniya:* An African (Hausa) Praise Song About Vesicovaginal Fistulas**
Nigerian women with vesicovaginal fistulas from obstructed labor use "praise songs" about their condition as a way of creating group solidarity in a "sisterhood of suffering."
L. Lewis Wall

1333 **Timing Intercourse to Achieve Pregnancy: Current Evidence**
Prospective methods of identifying fertile days to time intercourse to achieve pregnancy are likely to be more effective than calendar calculations or basal body temperature.
Joseph B. Stanford, George L. White, Jr, Harry Hatasaka

1342 **Is There a Sea Change Ahead for Obstetrics and Gynecology?**
The senior leaders of our specialty must recognize factors that impact our discipline to assess their effects and respond appropriately.
F. D. Frigoletto, Jr, M. F. Greene

1344 **Perspectives on the Women's Health Initiative Trial of Hormone Replacement Therapy**
Although effective for treating menopausal symptoms and preventing osteoporosis and colorectal cancer, hormone replacement therapy should not be used for prevention of coronary artery disease in asymptomatic postmenopausal women.
David A. Grimes, Rogerio A. Lobo

DEPARTMENTS

1354 **Letters to the Editor**

1362 **Author Index**

1377 **Subject and Title Index**

ACOG PUBLICATIONS

1389 **Practice Bulletin #41: Polycystic Ovary Syndrome**

1403 **Education and Practice Bulletins List of Titles**

1405 **Committee Opinion #279: Prevention of Early-Onset Group B Streptococcal Disease in Newborns**

1413 **Committee Opinion #280: The Role of the Generalist Obstetrician–Gynecologist in the Early Detection of Ovarian Cancer**

1417 **Committee Opinion #281: Rubella Vaccination**

1419 **Committee Opinions List of Titles**

1423 **Technology Assessment #2: Cervical Cytology Screening**